

(ELOCK2)

Digital access control
















Clear and efficient access management

With just a few clicks in the clear administration software, you can easily transfer the authorizations to the user transponders.

Lost transponders can be blocked immediately with the access management.





Intelligent and user-friendly access control

Access control on a digital ELOCK2 system allows you to conveniently authenticate yourself with a transponder, smartphone or Morse code. The electronic control is self-sufficient and tamper-proof integrated in the stainless steel housing of the lock.

Who, when, where is allowed to open?

Each user transponder receives its individual access rights, which are allowed to open according to a defined schedule. By means of a programmable time control on the lock, it can be opened and closed automatically without transponders at defined times.

Contactless key transfer

The access rights are transmitted directly in highly encrypted form via the network to a wall reader (MT1 or Z85AP). The user collects his new access rights by presenting his transponder at the wall reader. The

authorizations for smartphones can be easily sent by email or automatically synchronized via your server.

Integration in bestehende Systeme

Expand your existing system with advanced ELOCK2 locking systems. The encrypted access rights can be stored on your RFID company ID card and now also enable the opening of stand-alone locking systems in addition to payment and time recording.

Even easier with a programming card

The Home & Office version of the locking systems allows you to assign access rights without a PC and without prior knowledge. With a programming card you copy and delete your key transponders.




Highest security

ELOCK2 locks are burglar-resistant and can only be opened with a valid identification medium.

Patented automatic lock with panic function

As soon as the door is closed, it is automatically mechanically locked. This is ensured by a 20mm latch bolt made of solid hardened steel. The door can be opened from the inside at any time.



Old out, ELOCK2 in!


The locking systems are manufactured in standard dimensions. This means that ELOCK2 products can be easily retrofitted and converted. Within a few minutes you can bring your door lock technically up to date.

Designed, developed & Made in Germany:

Development, production and support at ELOCK2 have been ISO-certified since 1991. Everything under one roof (research, development, software and production). Individual customer requirements can be addressed flexibly at any time thanks to short communication channels.


Industry and DIN standardized

Profile cylinders, mortise, tubular frame and hardware locks are recognized by insurance companies as effective burglary protection and are approved for escape and rescue routes (special models), fire and smoke protection doors - in conjunction with panic hardware.



Impact and breakage protection

A special continuous shaft protects against destruction and burglary.



Drawing protection

The cylinder core is secured against breakage and extraction.



Highest security

The electronics on the inside are protected against hacker attacks.

Branch related solutions

With ELOCK2 you will find the right products for every branch.





Digital and stand-alone systems

Patented locking systems for every type of door.





Access terminals

Intelligent and compact readers for door openers, intercoms, elevators, gates and much more.





Innovative opening methods

Authenticate with transponder, smartphone or MorseCode.





Alarm mode / Arming

Forced operation without further locking elements. As long as the alarm system is armed, the door remains locked.



Download brochure

Access authorization management

Access rights assigned with the user-friendly administration software or simply by programming card.







Your personal consultant:

Innovative access solutions from the first-place winner



Produktkatalog als PDF

Neuigkeiten

Discover the whole ELOCK2 system now



Mechanical / digital automatic locks with panic function



Intelligent escape route protection



Digital furniture locks



Digital locking cylinders (also with panic function)





Digital padlocks and tube safes



Access terminal e.g. for doors and barriers



Infomaterial Produkte

ELOCK2 access system with 360° perfection

Patented systems and highly differentiated access management with ELOCK2 software within terface stoalarm and database systems (according to open standards).

Wireless installation in all standard doors (including glass and tubular frame doors) significantly reduces investment costs in new construction and retrofitting compared to wired systems.

Excellent scalability in the introduction and expansion of locking systems, even for unnetworked properties, thanks to virtual networking. Systems are suitable for fire doors and escape doors.

Excellent technical support for hardware and software from qualified service partners and directly from the manufacturer ELOCK2 - the medium-sized family business with short routes.



Infomaterial Systeme und Funktionen



Ausschreibungstexte



Zertifikate / Prüfdokumente



Quality certified by **DIN EN ISO 9001**

Gutenbergstr.10-12 D-73779 Deizisau vertrieb@elock2.de

Tel: +49(0)711 901213 - 86 Fax: +49(0)711 901213 - 99 www.elock2.com

We reserve the right to make technical and optical changes to the products. We assume no liability for misprints and other misunderstandings.