

((ELOCK2)

Middle latch lock M-Series

INNOVATIVE ACCESS SOLUTIONS FROM THE FIRST PLACE WINNER

MADE IN GERMANY





Patented

automatic lock with panic function





Automatically insurance closed in conformity



For fire protection and escape doors certified



ELOCK2

M-Serie



20mm automatic full locking




DO 20.34








(ELDCK2 Middle latch lock M-Series



Automatic lock with panic function

There is no need for tiresome opening and closing. When the door is closed, the lock locks automatically in compliance with insurance regulations. The innovative and patented latch bolt of the ELOCK2 mortise lock combines the latch and deadbolt components of conventional mortise locks in a single ingenious component made of high-strength steel. The latch bolt automatically engages 20mm deep into the striking plate and thus corresponds to a twice locked conventional lock.



Model M1: Mechanical middle latch lock



High quality Weatherproof housing made of high quality stainless steel.



Suitable for fire doors/escape doors.



Only with ELOCK2

Patented lock with reinforced latch bolt. automatic self-locking and panic function

Escape direction always free

The panic function allows the door to be opened quickly from the inside with a single movement despite being permanently locked.

Easy to retrofit and convert

Easy and clear installation in existing doors. You get state-of-the-art technology that can be integrated into existing doors or premises in no time at all without any conversion. With the automatic lock, the standard or existing fittings can continue to be used.

Industry and DIN standardized

ELOCK2 locks are recognized by insurance companies as effective burglary protection and are approved for. Escape and rescue routes, fire and smoke protection doors.

Lock variants



Model M2: For linear strike

Middle latch automatic lock with panic function



- Opening with mechanical key
- Door opener control e.g. via access system, bell system or third-party system

Download brochure

Scan QR code or click link





Model M3: With external power supply

Center latch automatic lock with panic function



- Opening with e.g. access system, bell system or third-party system
- Can be optionally combined with cylinder can be combined
- Optionally open with transponder

Download brochure

Scan QR code or click link





Model M4: Battery operated

Digital center latch automatic lock with panic function



- Opening with transponder, MorseCode or smartphone
- Opening / closing according to schedule
- Automatic lock can be combined with cylinder can be combined
- Programming with software or Programming card
- Event logging



Scan QR code or click link



Download

brochure

Scan QR code or click link




Model M6: Battery operated with radio control

Digital radio automatic lock with panic function for third-party systems



- Opening with third-party system via radio module or radio pushbutton
- Optionally additionally with transponder or Morse code
- Opening / closing according to schedule
- Special functions with software programmable
- Event logging





Standard dimensions for drill-free and simple mounting



Technical data in detail: Scan QR code or click link

https://elock2.com/index.php?id=51





Brochure Housing industry

Scan QR code or click link





Brochure Industrial solution

Scan QR code or click link



Your personal consultant:

Innovative access solutions from the first-place winner



Produktkatalog als PDF

Neuigkeiten

Discover the whole ELOCK2 system now



Mechanical / digital automatic locks with panic function



Intelligent escape route protection



Digital furniture locks



Digital locking cylinders (also with panic function)





Digital padlocks and tube safes



Access terminal e.g. for doors and barriers



Infomaterial Produkte

ELOCK2 access system with 360° perfection

Patented systems and highly differentiated access management with ELOCK2 software with interfaces to alarm and database systems (according to open standards).

Wireless installation in all standard doors (including glass and tubular frame doors) significantly reduces investment costs in new construction and retrofitting compared to wired systems.

Excellent scalability in the introduction and expansion of locking systems, even for unnetworked properties, thanks to virtual networking. Systems are suitable for fire doors and escape doors.

Excellent technical support for hardware and software from qualified service partners and directly from the manufacturer ELOCK2 - the medium-sized family business with short routes.



Infomaterial Systeme und Funktionen



Ausschreibungstexte



Zertifikate / Prüfdokumente



Quality certified by DIN EN ISO 9001

Gutenbergstr.10-12 D-73779 Deizisau vertrieb@elock2.de Tel: +49(0)711 901213 - 86 Fax: +49(0)711 901213 - 99 www.elock2.com

We reserve the right to make technical and optical changes to the products. We assume no liability for misprints and other misunderstandings.